


Deck & Engine Room Cleaning.

ELECTROCLEAN FAST

Liquid Electrical Cleaner with Fast-Drying Properties.

DESCRIPTION & APPLICATIONS:

ELECTROCLEAN FAST is a high-performance, non-flammable electrical cleaner designed for the rapid removal of oil, grease, dirt, moisture, and other contaminants from electrical and electronic equipment. Its fast-penetrating solvent action effectively cleans electrical components and assemblies, helping to maintain optimum performance and reliability. The product evaporates quickly without leaving residue, ensuring clean, dry surfaces while preserving the integrity of electrical insulation systems. Suitable for use on motors, generators, switchgear, contacts, coils, control panels, and most metal electrical assemblies

FEATURES & BENEFITS:

- Non-flammable formulation.
- Non-corrosive to metals and electrical components.
- Rapid penetration of grease, oil, and contaminants.
- Fast-acting, powerful cleaning solvent.
- Quick, controlled evaporation.
- Leaves no residue after drying.
- Produces a clean and dry surface.
- Harmless to electrical insulation systems.
- Suitable for use on most electrical components.
- High dielectric strength exceeding 23,000 volts.
- Reduces downtime by eliminating the need for rinsing.
- Can be applied by non-atomizing spray, minimizing dismantling requirements.

SHERAN CHEMICAL (UAE) |SHERAN HELLAS CHEMICAL (Greece)

+971 9 501 3271 | sales@sheran.net, Athens@sheran.net | www.sheran.net
Manufacturing & Sales: Fujairah, UAE | Athens, Greece
Marine and industrial chemicals supplier worldwide.

CERTIFICATIONS & MARINE SUPPLY NETWORKS

ProcureShip PS ID: 14754

SHIPSERV TN-315946

ISO 9001:2015 CERTIFIED COMPANY

DIRECTIONS FOR USE:

ELECTROCLEAN FAST is supplied ready for use and should not be diluted.

1. Ensure equipment is isolated from power.
2. Apply directly by brushing, dipping, or using a non-atomizing spray system.
3. Allow the product to penetrate and dissolve contaminants.
4. Remove excess contamination if necessary.
5. Allow the product to evaporate completely before returning equipment to service.

TYPICAL PROPERTIES:

Property	Typical Value
Appearance	Clear, Colorless Liquid
Odor	Mild Solvent Odor
Specific Gravity @ 25°C	0.78 - 0.82
Flash Point	Non-Flammable
Evaporation Rate	Fast
Water Solubility	Insoluble
Residue After Evaporation	Nil
Dielectric Strength	> 23,000 Volts
Corrosion Characteristics	Non-Corrosive
Recommended Application Temperature	5°C to 50°C
Drying Characteristics	Rapid Evaporation
Application Method	Brush, Dip, Non-Atomizing Spray

SHERAN CHEMICAL (UAE) |SHERAN HELLAS CHEMICAL (Greece)
+971 9 501 3271 | sales@sheran.net, Athens@sheran.net | www.sheran.net
Manufacturing & Sales: Fujairah, UAE | Athens, Greece
Marine and industrial chemicals supplier worldwide.

CERTIFICATIONS & MARINE SUPPLY NETWORKS
ProcureShip
PS ID: 14754
SHIPSERV
TN-315946
ISO 9001:2015 CERTIFIED COMPANY

COMPATIBILITY:

Safe for use on:

- Electric motors. Generators. Switchgear. Contacts. Coils. Metal surfaces and alloys

Preliminary compatibility testing is recommended on:

- Polymethacrylate coatings. Silicone varnishes. Sensitive plastics Rinsing is not required after cleaning. Preliminary testing is recommended on polymethacrylate coatings, silicone varnishes, and sensitive plastic materials. Suitable for use on most metals and metal alloys.

STORAGE & HANDLING:

Store in a cool, dry, well-ventilated area, keeping containers tightly closed when not in use. Avoid prolonged exposure to direct sunlight and excessive heat, and follow proper industrial hygiene and handling practices. For detailed safety information, refer to the Safety Data Sheet (SDS).

SHELF LIFE:

24 Months from date of manufacture when stored under recommended conditions.

STANDARD PACKAGING:

- 25 L Steel Drum

SHERAN CHEMICAL (UAE) |SHERAN HELLAS CHEMICAL (Greece)
+971 9 501 3271 | sales@sheran.net, Athens@sheran.net | www.sheran.net
Manufacturing & Sales: Fujairah, UAE | Athens, Greece
Marine and industrial chemicals supplier worldwide.

CERTIFICATIONS & MARINE SUPPLY NETWORKS
ProcureShip
PS ID: 14754
SHIPSERV
TN-315946
ISO 9001:2015 CERTIFIED COMPANY